

L Number	Hits	Search Text	DB	Time stamp
-	19	709/229.ccls. and (mobile NEAR4 "IP") and @ad<20010406	USPAT; US-PGPUB	2004/08/10 12:17
-	8	(IPSEC NEAR4 mobile) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 12:41
-	12	(security NEAR2 association) SAME (IPSEC and mobile) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 12:56
-	0	(Kerberos) SAME (IPSEC and mobile) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 12:56
-	37	kerberos AND (IPSEC and mobile) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 12:57
-	26	(sender or (correspondent adj2 node) or CN) SAME IPSEC and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:10
-	0	713/171.ccls. and (mobile SAME (IPSEC or (IP NEAR2 security))) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:16
-	7	713/171.ccls. and (IPSEC or (IP NEAR2 security)) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:16
-	25	713/151.ccls. and (IPSEC or (IP NEAR2 security)) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:16
-	3	713/151.ccls. and (mobile SAME (IPSEC or (IP NEAR2 security))) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:19
-	8	713/201.ccls. and (mobile SAME (IPSEC or (IP NEAR2 security))) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:25
-	0	380/279.ccls. and (mobile SAME (IPSEC or (IP NEAR2 security))) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:25
-	3	380/279.ccls. and (IPSEC or (IP NEAR2 security)) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:28
-	0	380/279.ccls. and (kerberos SAME mobile) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:28
-	34	kerberos SAME (mobile NEAR8 s(ecurity or IPSEC)) and @ad<20010406	USPAT; US-PGPUB	2004/08/10 13:29
-	26	(CN or (correspond\$5 adj2 node)) SAME (MN or (mobile adj2 node)) SAME (security or (control adj2 packet) or authenticat\$5 or Kerberos or key) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 09:41
-	0	(CN or (correspond\$5 adj2 node)) NEAR6 (initiat\$4 or begin\$3 or start\$3 or regist\$7) SAME (security or (control adj2 packet) or authenticat\$5 or Kerberos or key) SAME (MN or (mobile adj2 node)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 09:46
-	15	(CN or (correspond\$5 adj2 node)) SAME (initiat\$4 or begin\$3 or start\$3 or regist\$7) SAME (security or (control adj2 packet) or authenticat\$5 or Kerberos or key) SAME (MN or (mobile adj2 node)) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 09:48
-	41	(CN or (correspond\$5 adj2 node)) NEAR8 (initiat\$4 or begin\$3 or start\$3 or regist\$7) SAME (security or (control adj2 packet) or authenticat\$5 or Kerberos or key) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 09:50
-	42	(CN or (correspond\$5 adj2 node)) NEAR8 (IPSEC or initiat\$4 or begin\$3 or start\$3 or regist\$7) SAME (security or (control adj2 packet) or authenticat\$5 or Kerberos or key) and @ad<20010406	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:00
-	223	((first adj2 node) or initiat\$4 or CN or (correspond\$6 adj2 node)) NEAR8 (establish\$3 or register\$3 or initiat\$4 or start\$3 or begin\$4) NEAR8 ((security NEAR3 association) or registration) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 10:43
-	8	((first adj2 node) or initiat\$4 or CN or (correspond\$6 adj2 node)) NEAR8 (establish\$3 or register\$3 or initiat\$4 or start\$3 or begin\$4) NEAR8 ((security adj2 association)) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 10:43
-	0	(security adj2 association) NEAR5 ("SIM" or (subscriber adj2 identification adj2 module)) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:25

[Handwritten signature]
8/16/04

-	1	(security adj2 association) SAME ("SIM" or (subscriber adj2 identification adj2 module)) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:28
-	3	(security adj2 association) AND ("SIM" or (subscriber adj2 identification adj2 module)) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:30
-	2	(security adj2 association) SAME (VOIP or (voice adj2 "internet protocol")) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:34
-	0	("layer 2" adj2 key) SAME ("layer 3" adj3 authenticat\$4) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:37
-	0	("layer 2") SAME ("layer 3" adj3 authenticat\$4) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:38
-	0	(mobile NEAR6 IPSEC) SAME ("layer 3" adj3 authenticat\$4) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:38
-	0	(mobile NEAR6 IPSEC) SAME ((layer adj2 "3") adj3 authenticat\$4) and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:55
-	1	(mobile NEAR6 IPSEC) SAME (register\$5 or initiat\$3 or begin\$4) NEAR6 security and @ad<20010406	USPAT; US-PGPUB	2004/08/11 11:56
-	0	latency NEAR6 (mobile NEAR3 ((security) or IPSEC)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:27
-	1	latency SAME (mobile NEAR3 ((security) or IPSEC)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:28
-	65	latency AND (mobile NEAR3 ((security) or IPSEC)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:28
-	3	((prevent or reduc\$3) NEAR3 latency) AND (mobile NEAR3 ((security) or IPSEC)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:29
-	38	((prevent\$3 or reduc\$3) NEAR3 latency) AND (security adj2 association) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:32
-	0	(latency) AND ((mobile adj2 node) or MN) NEAR6 (security adj2 association) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:32
-	0	(latency) AND ((mobile adj2 node) or MN) SAME (security adj2 association) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:32
-	0	(latency) AND (((mobile adj2 node) or MN) SAME (security adj2 association)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:33
-	0	(MN and CN) SAME (communication NEAR8 (security adj2 association)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:41
-	0	(MN and CN) SAME (communication NEAR8 IPSEC) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:41
-	1	(MN and CN) SAME (communicat\$4 NEAR8 IPSEC) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:42
-	0	(first or sender or initiator) NEAR8 (checks NEAR8 (security adj2 association)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:42
-	1	(first or sender or initiator) SAME (checks NEAR8 (security adj2 association)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:42
-	1	(first or sender or initiator or CN or (corresponde\$3 adj2 node)) SAME (checks NEAR8 (security adj2 association)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:44
-	1	((mobile adj2 node) or MN) SAME ((corresponde\$3 adj2 node) or CN) SAME (control adj2 packet) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:45
-	12	((mobile adj2 node) or MN) SAME ((corresponde\$3 adj2 node) or CN) AND (control adj2 packet) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:50
-	10	(mobile NEAR3 IP) SAME "control packet" and @ad<20010406	USPAT; US-PGPUB	2004/08/13 14:59
-	128	(check\$3 or determin\$3) SAME ((security adj2 association) or "SA") NEAR5 (MN or CN or node) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:02
-	2	(check\$3 or determin\$3) SAME ((security adj2 association) or "SA") NEAR5 (MN or CN) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:03

-	4	(check\$3 or determin\$3) SAME ((security adj2 association) or "SA") NEAR5 (MN or CN or node) and (mobile NEAR4 IP) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:11
-	20	(check\$3 or determin\$3) SAME ((security adj2 association) or "SA") and (mobile NEAR4 IP) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:22
-	290	(check\$3 or determin\$3) SAME ((security adj2 association) or "SA") SAME (established or exist) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:23
-	7	(check\$3 or determin\$3) SAME ((security adj2 association) or "SA") SAME (established or exist) and (mobile NEAR2 IP) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:28
-	2	((correspond\$5 adj2 node) or CN) NEAR8 (send\$3 or communicat\$3 or establish\$3) NEAR8 ((security adj2 association) or "SA") and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:31
-	4	((mobile adj2 node) or MN) NEAR8 (receiv\$4) NEAR8 ((security adj2 association) or "SA") and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:35
-	5	((mobile adj2 node) or MN) NEAR8 (receiv\$4 or obtain\$3 or accept\$3) NEAR8 ((security adj2 association) or "SA") and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:36
-	1	((mobile adj2 node) or MN) NEAR8 (receiv\$4 or obtain\$3 or accept\$3) NEAR8 ((security adj2 association) or "SA") and @ad<20010406) not ((mobile adj2 node) or MN) NEAR8 (receiv\$4) NEAR8 ((security adj2 association) or "SA") and @ad<20010406)	USPAT; US-PGPUB	2004/08/13 15:35
-	6	((mobile adj2 node) or MN) NEAR8 (receiv\$4 or obtain\$3 or accept\$3) NEAR8 (key or authentication) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:39
-	52	((correspon\$5 adj2 node) or CN) NEAR8 (establish\$3 or obtain\$3 or generat\$4) SAME (key or authentication) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:43
-	62	((correspon\$5 adj2 node) or CN) NEAR8 (establish\$3 or obtain\$3 or generat\$4) SAME (key or authentication or "SA" or (security adj2 association)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:43
-	10	((correspon\$5 adj2 node) or CN) NEAR8 (establish\$3 or obtain\$3 or generat\$4) SAME (key or authentication or "SA" or (security adj2 association)) and @ad<20010406) not ((correspon\$5 adj2 node) or CN) NEAR8 (establish\$3 or obtain\$3 or generat\$4) SAME (key or authentication) and @ad<20010406)	USPAT; US-PGPUB	2004/08/13 15:43
-	0	20040049585.URPN.	USPAT	2004/08/13 15:53
-	44	((security adj2 association) or "SA") NEAR4 cache and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:55
-	1	((correspond\$5 adj2 node) or "CN") NEAR6 (KDC or (key adj2 center)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:57
-	1	((correspond\$5 adj2 node) or "CN") SAME (KDC or (key adj2 center)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 15:59
-	43	((correspond\$5 adj2 node) or "CN") SAME ((build\$3 or establish\$3 or generat\$3 or (set adj2 up))) NEAR6 (key or ((security adj2 association) or SA)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:03
-	9	((correspond\$5 adj2 node) or "CN") SAME ((build\$3 or establish\$3 or generat\$3 or (set adj2 up))) NEAR6 (key or ((security adj2 association) or SA)) and @ad<20010406	EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:05
-	1	(mobile NEAR3 IP) SAME 3G and @ad<20010406	EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:05
-	7	(mobile NEAR3 IP) AND (((third adj2 generation) or "3G") and @ad<20010406	EPO; JPO; DERWENT; IBM_TDB	2004/08/13 16:08
-	24	mobile SAME (establish\$3 NEAR8 (IPSEC or "SA" or (security adj2 association))) and @ad<20010406	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/13 16:20

-	240	distribut\$4 SAME ((security adj2 association) or "SA" or key) and (mobile adj3 network) and @ad<20010406	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/13 16:24
-	14	distribut\$4 SAME ((security adj2 association) or "SA" or key) SAME (mobile adj3 network) and @ad<20010406	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/13 16:24
-	128	(distribut\$4 NEAR6 ((security adj2 association) or "SA" or key)) AND (mobile adj3 network) and @ad<20010406	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/13 16:25
-	9	(distribut\$4 NEAR6 ((security adj2 association) or "SA" or key)) SAME (mobile adj3 network) and @ad<20010406	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/08/13 16:25
-	1	((correspon\$4 adj2 node) or CN) NEAR6 (stor\$3 or sav\$3) NEAR6 ((security adj2 association) or SA) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:40
-	2	((correspon\$4 adj2 node) or CN) SAME ((stor\$3 or sav\$3) NEAR6 ((security adj2 association) or SA)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:40
-	0	((correspon\$4 adj2 node) or CN) SAME ("KDC" or "key distribution center") and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:41
-	1	((correspon\$4 adj2 node) or CN) and 380/279.ccls. and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:42
-	5	(mobile adj2 network) and 380/279.ccls. and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:44
-	1	(MN or (mobile adj2 node)) SAME (CN or (correspond\$5 adj2 node)) SAME ((key or SA or (security adj2 association)) NEAR4 exchang\$3) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:52
-	11	(MN or (mobile adj2 node)) SAME ((key or SA or (security adj2 association)) NEAR4 exchang\$3) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:46
-	0	(mobile adj2 network) SAME (KDC or "key distribution center") and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:46
-	1	(mobile adj2 network) AND (KDC or "key distribution center") and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:46
-	24	(MN or (mobile adj2 node)) SAME communicat\$4 SAME (CN or (correspond\$5 adj2 node)) AND (key or SA or (security adj2 association)) and @ad<20010406	USPAT; US-PGPUB	2004/08/13 16:53